12 cfm @ 125 psi

#### **Features**

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

#### **Platinum Compressor Features**


- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	
DCI21E30H-OF	1	208-230	30 Gallon Horizontal	44	32	48	24	
DCI23E30H-OF	3	208-230/460-480	30 Gallon Horizontal	44	32	48	16	
Add -P after part number to make Platinum Model								

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

## **Industrial Gold**







20 cfm @ 125 psi

#### **Features**

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

#### **Platinum Compressor Features**


- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	
DCI31E30H-OF	1	208-230	30 Gallon Horizontal	44	32	48	30	
DCI33E30H-OF	3	208-230/460-480	30 Gallon Horizontal	44	32	48	18	
Add -P after part number to make Platinum model								

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

## **Industrial Gold**





34 cfm @ 125 psi

#### **Features**

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

#### **Platinum Compressor Features**


- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	
DCI51E120H-OF	1	208-230	120 Gallon Horizontal	74	32	52	48	
DCI53E120H-OF	3	208-230/460-48	120 Gallon Horizontal	74	32	52	32	
Add P after part number to make Platinum Model								

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

## **Industrial Gold**





# 7.5 HP Oil Free Compressors

21 cfm @ 125 psi

#### **Features**

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

## **Platinum Compressor Features**

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	
CI71E80V-OF	1	208-230	80 Gallon Vertical	34	24	74	32	
CI71E120H-OF	1	208-230	120 Gallon Horizontal	70	26	45	18	
CI73E80V-OF	3	208-230/460-480	80 Gallon Vertical	34	24	74	32	
CI73E80V-OF	3	208-230/460-480	120 Gallon Horizontal	70	26	45	18	
Add -P after part number to make Platinum Model								

No Start Up Kit Required Optional 5-year Pump Warranty Available

# **Industrial Gold**







68 cfm @ 125 psi

#### **Features**

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

#### **Platinum Compressor Features**

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads

■ Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt	
DB101H120-BF100	1	208-230	120 Gallon Horizontal	74	35	54	84	N/A	
DB103H120-BF100	3	208-230/460-480	120 Gallon Horizontal	74	35	54	56	28	
Add -P after part number	Add -P after part number to make Platinum Model								

No Start Up Kit Required Optional 5-year Pump Warranty Available

## **Industrial Gold**







**Features** 

■ All UL electrical controls

ASME/CRN powder coated air receiver

■ Auto start/stop

■ Magnetic motor starter

■ Fully enclosed belt guard

■ Heavy-duty air filters

■ Heavy-duty industrial-grade electric motor

■ Heavy-duty single-stage oil-free industrial pump

**Platinum Compressor Features** 


■ All basic features

■ Belt guard aftercooler

■ Tank discharge ball valve

■ Vibration pads

■ Freight pre-paid in the 48 states & southern Canada




90 cfm @ 120 psi



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt
DB153H240-BF310	3	208-230/460-480	240 Gallon Horizontal	78	50	64	84	42
Basemount model also available. Add -P after part number to make Platinum Model								

No Start Up Kit Required Optional 5-year Pump Warranty Available

## **Industrial Gold**





**Features** 

■ All UL electrical controls

ASME/CRN powder coated air receiver

Auto start/stop

■ Magnetic motor starter

■ Fully enclosed belt guard

Heavy-duty air filters

■ Heavy-duty industrial-grade electric motor

■ Heavy-duty single-stage oil-free industrial pump

**Platinum Compressor Features** 

■ All basic features

■ Belt guard aftercooler

■ Tank discharge ball valve

■ Vibration pads

■ Freight pre-paid in the 48 states & southern Canada

128 cfm @ 120 psi Alternating 64 cfm @ 120 psi



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt
DB203H240-BF415	3	208-230/460-480	240 Gallon Horizontal	78	50	64	108	54
Basemount model also available. Add -P after part number to make Platinum Model								

No Start Up Kit Required • Optional 5-year Pump Warranty Available

# **Industrial Gold**



**Features** 

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

## **Platinum Compressor Features**

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




152 cfm @ 120 psi



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt
DB253H240-BF415	3	208-230/460-480	240 Gallon Horizontal	78	50	64	126	64
Basemount model also available. Add -P after part number to make Platinum Model								

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

## **Industrial Gold**







**Features** 

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

## **Platinum Compressor Features**

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada

194 cfm @ 120 psi Alternating 97 cfm @ 120 psi



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt
DB253H240-BF430	3	208-230/460-480	240 Gallon Horizontal	78	50	64	144	72
Basemount model also available. Add -P after part number to make Platinum Model								

No Start Up Kit Required Optional 5-year Pump Warranty Available

## **Industrial Gold**

