10 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt		
CI31E60V-OF	1	208-230	60 Gallon Vertical	32	24	72	15		
CI33E60V-OF	3	208-230/460-480	60 Gallon Vertical	32	24	72	9		
Add P after part number to make Platinum Model									

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

Industrial Gold







17 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt		
CI51E80V-OF	1	208-230	80 Gallon Vertical	34	24	74	24		
CI53E80V-OF	3	208-230/460-480	80 Gallon Vertical	34	24	74	16		
Add P after part number to make Platinum Model									

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

Industrial Gold







21 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	
CI71E80V-OF	1	208-230	80 Gallon Vertical	34	24	74	32	
CI71E120H-OF	1	208-230	120 Gallon Horizontal	70	26	45	18	
CI73E80V-OF	3	208-230/460-480	80 Gallon Vertical	34	24	74	32	
CI73E80V-OF	3	208-230/460-480	120 Gallon Horizontal	70	26	45	18	
Add -P after part number to make Platinum Model								

No Start Up Kit Required Optional 5-year Pump Warranty Available

Industrial Gold







34 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features


- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt	
B101H120-BF100	1	208-230/460-480	120 Gallon Horizontal	34	35	54	42	N/A	
B103H120-BF100	3	208-230/460-480	120 Gallon Horizontal	34	35	54	28	14	
Add -P after part number to make Platinum Model									

No Start Up Kit Required • Optional 5-year Pump Warranty Available

Industrial Gold







45 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 460 Volt
B153H120-BF310	3	208-230/460-480	120 Gallon Horizontal	76	36	60	42	21
B153H240-BF310	3	208-230/460-480	240 Gallon Horizontal	82	42	66	42	21
Resemble to model also available. Add -P after part number to make Platinum Model								

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

Industrial Gold







64 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 480 Volt	
B203H120-BF415	3	208-230/460-480	120 Gallon Horizontal	76	36	60	54	27	
B203H240-BF415	3	208-230/460-480	240 Gallon Horizontal	82	42	66	54	27	
Basemount model also available. Add -P after part number to make Platinum model.									

No Start Up Kit Required ■ Optional 5-year Pump Warranty Available

Industrial Gold







76 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features


- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada




Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 480 Volt	
B253H120-BF415	3	208-230/460-480	120 Gallon Horizontal	76	36	60	63	32	
B253H240-BF415	3	208-230/460-480	240 Gallon Horizontal	82	42	66	63	32	
Basemount model also available. Add -P after part number to make Platinum model.									

No Start Up Kit Required Optional 5-year Pump Warranty Available

Industrial Gold







97 cfm @ 125 psi

Features

- All UL electrical controls
- ASME/CRN powder coated air receiver
- Auto start/stop
- Magnetic motor starter
- Fully enclosed belt guard
- Heavy-duty air filters
- Heavy-duty industrial-grade electric motor
- Heavy-duty single-stage oil-free industrial pump

Platinum Compressor Features

- All basic features
- Belt guard aftercooler
- Tank discharge ball valve
- Vibration pads
- Freight pre-paid in the 48 states & southern Canada



Model	Phase	Voltage	Tank	Length	Width	Height	Amp Draw 230 Volt	Amp Draw 480 Volt
B303H120-BF415	3	208-230/460-480	120 Gallon Horizontal	76	36	60	63	32
B303H240-BF415	3	208-230/460-480	240 Gallon Horizontal	82	42	66	63	32
Basemount model also available. Add -P after part number to make Platinum model.								

No Start Up Kit Required Optional 5-year Pump Warranty Available

Industrial Gold



